
EXHIBIT 13



```
:redirect_hide_commerce, only: :new
                                                         :redirect_hide_commerce, only: :new
                                                   19
19
            before_action :hide_footer,
                                                        +
                                                               before_action :hide_footer,
      :load_order, :set_use_mini_header,
                                                        :load_order, :set_use_mini_header,
      :set_page_title, :show_new_login?
                                                        :set_page_title
                                                   20
20
21
            # This is included in
                                                   21
                                                              # This is included in
      ControllerHelpers::Order. We just want
                                                        ControllerHelpers::Order. We just want
      to call
                                                        to call
22
            # it after someone has
                                                   22
                                                              # it after someone has
      successfully logged in.
                                                        successfully logged in.
106
                                                  106
            end
                                                               end
107
                                                  107
108
            def set_page_title
                                                  108
                                                               def set_page_title
109
              @page_title = if show_new_login?
                                                  109
                                                                @page_title =
                                                        t('sign_in_page.sign_in_title')
110
      t('sign_in_page.my_account_title')
111
                             else
112
      t('sign_in_page.sign_in_title')
113
114
            end
115
116
            def show_new_login?
117
              @show_new_login ||=
      feature_flags.show_new_login?
                                                  110
118
            end
                                                               end
119
                                                  111
120
            def translation_scope
                                                  112
                                                               def translation_scope
```

```
    → 20  app/javascript/packs/accept_tos.js 
    □

     @ -1,10 +1,26 @@
. . .
                                                   1
 1
       const signupButtons =
                                                         const signupButtons =
     document.getElementsByClassName('tos-
                                                       document.getElementsByClassName('tos-
     required');
                                                       required');
 2
       const agreeTosCheckbox =
                                                   2
                                                         const agreeTosCheckbox =
     document.getElementById('accepted-tos');
                                                       document.getElementById('accepted-tos');
                                                       + const signupForm =
                                                       document.getElementById('new_spree_user_
                                                       create');
                                                       + const agreeTosWarning =
                                                       document.getElementById('accepted-tos-
                                                       warning');
 3
                                                   5
```

```
4
       for (let i = 0; i <
     signupButtons.length; i++) {
5
         const signupButton =
     signupButtons[i];
6
         signupButton.disabled = true;
 7
         agreeTosCheckbox.onchange =
     function() {
8
           signupButton.disabled =
     !this.checked;
9
         };
10
       }
```

```
for (let i = 0; i <
     signupButtons.length; i++) {
 7
         const signupButton =
     signupButtons[i];
8
         agreeTosCheckbox.onchange =
     function() {
9
          if (this.checked) {
10
     signupButton.classList.remove('disabled'
     );
11
     agreeTosWarning.classList.add('hide');
12
           } else {
13
     signupButton.classList.add('disabled');
14
     agreeTosWarning.classList.remove('hide')
15
           }
16
         };
       }
17
18
19
     + signupForm.onsubmit = function(e) {
20
         if (!agreeTosCheckbox.checked) {
21
           e && e.preventDefault();
22
     agreeTosWarning.classList.remove('hide')
     ;
23
           return false;
24
         }
     +
25
     agreeTosWarning.classList.add('hide');
```

DavidFishman on Aug 6, 2018

Let's add a test to make sure this behavior doesn't regress.





Reply...

Resolve conversation

```
√ 6 ■■■■ app/javascript/styles/core/_buttons.scss 

□
19
           text-decoration: none;
                                                             text-decoration: none;
20
         }
                                                  20
                                                           }
21
                                                  21
22
         &:disabled {
                                                  22
                                                           &:disabled,
                                                  23
                                                           &.disabled {
23
           background: if($disabled-
                                                  24
                                                             background: if($disabled-
     background-color, $disabled-background-
                                                       background-color, $disabled-background-
     color, lighten($gradient-start, 20%));
                                                       color, lighten($gradient-start, 20%));
24
           box-shadow: 0 1px 0 0
                                                  25
                                                             box-shadow: 0 1px 0 0
     lighten($gradient-start, 1%);
                                                       lighten($gradient-start, 1%);
25
           color: if($disabled-color,
                                                  26
                                                             color: if($disabled-color,
     $disabled-color, $color);
                                                       $disabled-color, $color);
                                                  27
                                                  28
                                                  29
                                                           &:disabled {
26
                                                  30
                                                             cursor: not-allowed !important;
           cursor: not-allowed !important;
27
         }
                                                  31
                                                           }
                                                  32
28
```

```
4 app/views/pages/wholesale.html.erb
48
                                                    48
              <input type=hidden id="status"</pre>
                                                                  <input type=hidden id="status"</pre>
     name="status" value="Open" type=hidden/>
                                                          name="status" value="Open" type=hidden/>
49
                                                    49
             <input type=hidden</pre>
                                                                  <input type=hidden</pre>
     id="recordType" name="recordType"
                                                          id="recordType" name="recordType"
     value="01239000000N1wY" type=hidden/>
                                                         value="01239000000N1wY" type=hidden/>
                                                    50
50
             <input type=hidden</pre>
                                                                  <input type=hidden</pre>
     id="00N39000003V5FT"
                                                          id="00N39000003V5FT"
     name="00N39000003V5FT" value="1" /><br/>
                                                          name="00N39000003V5FT" value="1" /><br/>
51
              <%= render partial:</pre>
                                                    51
                                                                  <%= render partial:</pre>
     'spree/shared/accept_tos' if
                                                          'spree/shared/accept_tos' %>
     feature_flags.intl_requires_tos_checkbox
     ?(current_store) %>
52
                                                    52
             <input type="submit"</pre>
                                                                  <input type="submit"</pre>
     name="submit" class="Button--primary
                                                          name="submit" class="Button--primary
     button_sumbit_wholesale tos-required">
                                                          button_sumbit_wholesale disabled tos-
                                                          required">
                                                    53
53
              </form>
                                                                  </form>
54
                                                    54
           </div>
                                                                </div>
                                                    55
         </div>
                                                              </div>
```

```
    ✓ 15 ■■■■ app/views/spree/shared/_accept_tos.html.erb 
    □

     @@ -1,16 +1,13 @@
. . .
 1
     - <% requires_checkbox =</pre>
     feature_flags.intl_requires_tos_checkbox
     ?(current_store) %>
 2
 3
       <label for="accepted-tos" class="text-</pre>
                                                         <label for="accepted-tos" class="text-</pre>
     -small signin__legal-text">
                                                       -small signin__legal-text">
                                                   2
 4
     - <% if requires_checkbox %>
                                                       + <input type="checkbox" id="accepted-
                                                       tos"/>
 5
           <input type="checkbox"</pre>
     id="accepted-tos"/>
 6
     - <% end %>
 7
         <%=
                                                   3
                                                            <%=
     juul_t('page.shared.login.by_registering
                                                       juul_t('page.shared.login.by_registering
     _with',
                                                       _with',
 8
                                                   4
                    url:
                                                                       url:
                                                       contentful_safe_render(content.tld_setti
     contentful_safe_render(content.tld_setti
     ngs, 'tos_url'), #We leave this to
                                                       ngs, 'tos_url'), #We leave this to
     support old translaions until they're
                                                        support old translaions until they're
     updated.
                                                       updated.
 9
                    tos url:
                                                                       tos url:
     contentful_safe_render(content.tld_setti
                                                       contentful_safe_render(content.tld_setti
     ngs, 'tos_url'),
                                                       ngs, 'tos_url'),
10
                    privacy_url:
                                                   6
                                                                       privacy_url:
     contentful safe render(content.tld setti
                                                       contentful_safe_render(content.tld_setti
     ngs, 'privacy url')) %>
                                                       ngs, 'privacy_url')) %>
                                                   7
11
       </label>
                                                         </label>
12
     - <% if requires_checkbox %>
                                                       + <div id="accepted-tos-warning"
                                                       class="invalid-feedback hide">
13
     - <% content_for :javascript do %>
                                                       juul_t('page.shared.login.accepted_tos_w
                                                       arning') %>
14
                                                  10
                                                       + </div>
     - <%= javascript_pack_tag</pre>
     'accept_tos' %>
15
       <% end %>
                                                  11
                                                       + <% content_for :javascript do %>
                                                       + <= javascript_pack_tag 'accept_tos'
                                                  12
16
       <% end %>
                                                  13
                                                        <% end %>
```

```
3
       <% end %>
                                                          <% end %>
 4
                                                   4
 5
     - <% if @show_new_login %>
                                                   5
                                                       + <= render partial:
                                                        'spree/shared/login_form' %>
 6
     - <%= render partial:</pre>
     'spree/shared/new_login_form' %>
 7
     - <% else %>
8
     - <%= render partial:</pre>
     'spree/shared/old_login_form' %>
     - <% end %>
9
10
                                                   7
11
       <% content_for :javascript do %>
                                                          <% content_for :javascript do %>
12
          javascript_pack_tag 'checkout'
                                                            javascript_pack_tag 'checkout'
     %>
                                                       %>
```

```
    app/views/spree/shared/_new_login_form.html.erb

Load diff
This file was deleted.
```

```
√ 7 ■■■■ app/views/spree/shared/ user form.html.erb 
□

23
             <div class="red text--small"><%=</pre>
                                                   23
                                                                <div class="red text--small"><%=</pre>
     flash.now[:registration_error] %></div>
                                                        flash.now[:registration_error] %></div>
24
           <% end %>
                                                   24
                                                              <% end %>
                                                   25
25
           <div data-
                                                              <div data-
                                                        hook="signup_below_password_fields">
     hook="signup_below_password_fields">
     </div>
                                                        </div>
                                                   26
26
          <%= render partial:</pre>
                                                              <%= render partial:</pre>
     'spree/shared/accept_tos' if
                                                        'spree/shared/accept_tos' %>
     feature_flags.intl_requires_tos_checkbox
     ?(current_store) %>
27
                                                   27
           <%= f.submit Spree.t(:sign_up),
                                                              <%= f.submit Spree.t(:sign_up),
     id: 'signup__input', class: 'Button--
                                                        id: 'signup__input', class: 'Button--
```

28 29	<pre>primary signininput is-block tos- required', tabindex: 6 %> - <%= render partial: 'spree/shared/accept_tos' unless feature_flags.intl_requires_tos_checkbox</pre>	28	<pre>primary signininput is-block tos- required_disabled', tabindex: 6 %> </pre>
	?(current_store) %>		
30	<% end %>	29	<% end %>
31	_		
32	-		

√ 1 ■■■■ config/locales/en.yml □					
1371	warranty: Warranty	1371	warranty: Warranty		
1372	login:	1372	login:		
1373	<pre>by_registering_with: By</pre>	1373	<pre>by_registering_with: By</pre>		
	registering with JUUL Labs, Inc., you		registering with JUUL Labs, Inc., you		
	agree to our Terms		agree to our Terms		
	and Conditions and <a href="%</td"><td></td><td>and Conditions</td> and <a href="%</td">		and Conditions		
	<pre>{privacy_url}>Privacy Policy.</pre>		{privacy_url}>Privacy Policy.		
		1374	+ accepted_tos_warning: Please		
			accept the terms to continue.		
1374	log_in: 'Log In:'	1375	log_in: 'Log In:'		
1375	new_to_juul: 'New to JUUL?	1376	new_to_juul: 'New to JUUL?		
	Sign Up:'		Sign Up:'		
1376	nav:	1377	nav:		